


Abbreviations for dispensing

Abbreviations are the short codes you can use to quickly enter the patient directions for a medicines when you dispense it to them.

When you are issuing an item you can mix abbreviations and your own text to add common directions quickly.

It is worth mentioning that abbreviations may also be used in other situations e.g. if a significant number of customers live in the same locality, an abbreviated form of their address could be employed. All abbreviations are created in the same way as described below.

To access the functionality, click on the **Special > Abbreviations** menu option. The following window opens, showing a list of all the current abbreviations that have been entered:



The screenshot shows a window titled "Abbreviations" with a toolbar containing four icons: Add (plus sign), Delete (minus sign), Modify (pencil), and Report (document with arrow). Below the toolbar is a table with two columns: "Abbreviation" and "Expansion". The table contains four rows of data:

Abbreviation	Expansion
10d	ibukin 10 te bong
10drp	Nima 10 te tim
1c	Nima 1 te bwatin
1drps	Katima 1 te tim nakon matam/taningam ae rootaki


As usual, you can sort the list by clicking on the column headers.

Add an Abbreviation



If you change an abbreviation or add a new one, you will see the change immediately (v317 or later), but in a multi-user environment other users will have to log out and log in (use **Switch user** to do this quickly) to see the edited or added abbreviations.

To add an abbreviation, click on the Add button and the following window opens:



Enter the abbreviation that you will type in the *Abbreviation* field and the text that it will be expanded to in the *Expansion* field. When you're done click on the **OK** button.


Do not use actual words in your abbreviation, or else attempting to type the word will result in the expanded text appearing on your label!



Note: your abbreviations cannot contain the underscore (_), period (.) or comma (,) characters

Edit an Abbreviation

To edit an abbreviation, double-click it in the list. A similar window to the add abbreviation window will open, pre-populated with the abbreviation's details:



Edit the abbreviation and expansion as required then click on the **OK** button to save it.


Delete an Abbreviation

Select a single abbreviation in the list by clicking on it then click on the **Delete** button. You will be asked to confirm the deletion - if you do, it is deleted from the list.

Print a list of Abbreviations


Click the *Report* button to construct a simple report listing all abbreviations. This report can be previewed or printed.

After clicking on the button, you will be shown the report editor window. In older versions of mSupply it looks like this:



1. Double-click on **Abbreviation**
2. Double-click on **Expansion**
3. Right-click on **Detail** and set font size to 8 or 9
4. You can use the lines on the column headers to adjust column width
5. Choose **File > Generate** to print the list

In newer versions of mSupply, the report editor will look like this:



Click on the Fields icon and then double-click on abbreviation an

Importing abbreviations

The procedure for importing a file containing your abbreviations is found [here](#).

Item Default Directions

Once you have entered abbreviations, don't forget to enter the default directions for all common items - the default directions are the abbreviations that are used by default for an item when it is added to a prescription. Instructions are [here](#).

Previous: [Prescribers](#) *Next:* [Printing Preferences](#)

From:

<https://docs.msupply.org.nz/> - mSupply documentation wiki

Permanent link:

<https://docs.msupply.org.nz/dispensing:abbreviations?rev=1563962839>

Last update: **2019/07/24 10:07**

