


10.07. Diagnoses

The **Diagnoses** functionality allows you to quickly save a diagnosis on a patient's prescription.

Viewing and Adding Diagnoses

Select the **Diagnoses** icon from the **Special** tab on the mSupply navigator window.




This will open the **Show diagnoses** window with a list of all diagnoses.

- The list will initially be ordered by date created. However, the list can be sorted by the ICD code or ICD description by clicking on the respective column header.
- You can use the search box to search for a diagnoses using either an ICD code or the ICD description.




Standard mSupply search functionality applies when searching for diagnoses.



The list can be filtered using the **Show** drop-down box on the top right of the window:

- **All**: active and inactive diagnoses.
- **Active**: diagnoses that have not yet reached their specified valid till date.
- **Inactive**: diagnoses that have passed their specified valid till date. Inactive diagnoses will not appear in other windows, and cannot be saved to a patient prescription.

Click on the **New diagnosis** button on the top-left of the window to add a new diagnosis. This window will open:



Enter the **ICD Code** and **Description**. Please note:

- Both code and description boxes are mandatory.
- mSupply does not check the data entry in these boxes. Please double-check that you have entered the information correctly.


Enter the **Valid till** date. You can use the date selection tool by clicking on the calendar to the right of the box.

- The date entered determines how long the diagnosis will remain active. After this date the diagnosis will be automatically made inactive.
- The valid till field is non-mandatory. Leaving this field blank results in the code remaining permanently active.

Diagnoses on Prescriptions

You must first enable store preferences to allow diagnosis selection on prescriptions.

From the **Special** tab or menu item, select **Stores**, and then select the store that you wish to allow diagnosis selection. Select the **Preferences** tab on the Edit Store window.



Select **Allow users to choose diagnoses on prescription**.

Save by selecting **OK**.

As a result, when you create a new prescription, you will be able to select a diagnoses using a drop-down box. The drop-down box will display and allow selection of any active diagnoses.

Prescription Entry

Patient details

Name:

New Patient

Date of birth: 00/00/00
 Female

Address:

Prescriber:

Confirm date: 00/00/00
Prescription date: 27/11/20

Code:

Diagnosis:

Reference:
Category:

Note:

Items
Log

Line
Location
Item Name
Quan
Pa...
Batch
Exp date
Sell Price
Price exten

Item:
 Amount: 0.00
 Subtotal: 0.00

Date:
 Notes:
 New note:
 Delete note:
 0% tax: 0.00

0% discount: 0.00
 Total: 0.00
 Amount Outstanding: 0.00

Finalise
Export batch: 0
Status: nw

The diagnosis selected will be saved against the prescription together with all other information provided in the Prescription Entry window.

Previous: [10.06. Abbreviations for dispensing](#) ||| Next: [10.08. Label printing preferences](#)

From: <https://docs.msupply.org.nz> - **mSupply documentation wiki**

Permanent link:
<https://docs.msupply.org.nz/dispensing:diagnoses?rev=1619428380>

Last update: **2021/04/26 09:13**

