

10.08. Patient medication records

Added: Version 3.11

Introduction

A Patient Medication Record (PMR) is a way of recording all the medications a person is using, whether or not they were dispensed by you. The record contains useful information for the patient such as

- The dosage in a clear easy-to-understand format.
- An (optional) picture of the dose form (tablet, capsule, etc)
- The medication's purpose.
- Common instructions for taking/using the medicine, which may be customised for each patient

Setting up items

Before adding items it is good to set up the standard purpose, instructions and item photo for common items at least. Once set up, you can add these to a particular patient's PMR with just the click of a button.

1. Find the item you are interested in and go to the dispensing tab


The screenshot shows the 'Item details...' window with the 'Dispensing' tab selected. The window is divided into several sections:

- General:** Item name: GLIBENCLAMIDE SMG TAB, Store: Dispensary.
- Default Directions:** A table with columns 'Priority' and 'Directions'.

Priority	Directions
1	2t bd pc uat
2	1t bd pc uat
3	1t od pc uat
- Picture:** A green circular tablet with a pink diagonal line.
- Medication Purpose:** To control blood sugar.
- Patient instructions:** Take this medicine immediately after food.
- Warn if user tries to issue more than:** 0.
- Print out the units for this item on labels:** ☐ (disabled). A red message states: "This option has been disabled as you have chosen to 'Always print item units' in the mSupply preferences."
- Buttons:** Delete, OK & Previous, OK & Next, Cancel, OK.

- 2.
3. Enter purpose and instructions. Both these fields can take as much text as you wish to enter.
4. Add a photo by either dragging a photo from another application or pasting a photo from the clipboard.





There are 2 ways of adding items to a PMR

1. From the patient history tab:

- Highlight the items from the patient's history you wish to add, then click the **Add to PMR** button.
- The record will be shown on the “PMR” tab if you switch to it.
- Note that on the PMR tab you still have to double-click on the added record and fill in the dose, instructions etc.

- ## 2. From the Patient details PMR tab

- Here you can add any item that is in the mSupply catalogue.
- For example, a patient might be regularly taking paracetamol or aspirin that they buy themselves. You can add such items here.

Edit patient

Store: Dispensary

General Prescriptions Notes History PMR Store																																																																																																																																																																																					
<div style="margin-bottom: 10px;"> Add Delete Print </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;">Item</th> <th style="width: 5%;">A.M.</th> <th style="width: 5%;">Noon</th> <th style="width: 5%;">P.M.</th> <th style="width: 5%;">Bedtime</th> <th style="width: 25%;">Purpose</th> <th style="width: 30%;">Instructions</th> </tr> </thead> <tbody> <tr> <td>ACYCLOVIR EYE OINTMENT 4G</td> <td align="center">1</td> <td align="center">0</td> <td align="center">0</td> <td align="center">0</td> <td>For cold sores</td> <td>Apply for at least two weeks</td> </tr> <tr> <td>METFORMIN 500mg TABLET</td> <td align="center">2</td> <td align="center">0</td> <td align="center">2</td> <td align="center">0</td> <td>For diabetes</td> <td>Take each dose immediately aft</td> </tr> <!-- Empty rows as seen in the screenshot --> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>							Item	A.M.	Noon	P.M.	Bedtime	Purpose	Instructions	ACYCLOVIR EYE OINTMENT 4G	1	0	0	0	For cold sores	Apply for at least two weeks	METFORMIN 500mg TABLET	2	0	2	0	For diabetes	Take each dose immediately aft																																																																																																																																																										
Item	A.M.	Noon	P.M.	Bedtime	Purpose	Instructions																																																																																																																																																																															
ACYCLOVIR EYE OINTMENT 4G	1	0	0	0	For cold sores	Apply for at least two weeks																																																																																																																																																																															
METFORMIN 500mg TABLET	2	0	2	0	For diabetes	Take each dose immediately aft																																																																																																																																																																															

OK & Next
Cancel
OK

1. To add an item, click the **Add item** button. You will be shown a new window:

Patient Medication Records

Item GLIBENCLAMIDE 5MG TAB 450

A.M. Noon P.M. Bedtime

Dose 1 0 1 0

Standard Purpose

To control blood sugar

Copy

To control blood sugar

Standard Instructions

Take this medicine immediately after food.

Copy

Take this medicine immediately after food.

Cancel OK

2. **Item name:** type the start of the item name and press <tab>, then select from the list
3. **Dosage:** Enter the number of tablets/drops/whatever to be taken/administered morning, noon, evening and bedtime.
4. **Purpose:** If the item has a purpose entered, click the **copy** button to copy it to the right-hand box. Here you can edit the details if you want to.
5. **Instructions:** If the item has instructions entered, click the **copy** button to copy them to the right-hand box. Again, you can edit the details if you want to.
6. Click **OK** when you're done, or cancel if you decide not to add a record.

Editing a PMR record

To edit a PMR record, double-click the entry you wish to edit, change details, and click **OK** to save the changes and close the window.


Deleting a PMR

To delete a PMR record, highlight the record(s) you wish to delete, then click the **delete** button. (Do be careful- it's not reversible!)

Printing PMRs

Setting up printing preferences

When a PMR is printed, it has a header and footer. These are set up by choosing **File > Preferences** and then clicking the **Patient Medication** tab.



Note that you can style the text in these boxes by selecting text and right-clicking on your highlighted text to get a contextual menu to apply font styles, colour and size.

Printing a PMR

Simply click the **Print** button. Note that you do not have to highlight records- all records will be printed.

Currently we have included a single PMR printing form in mSupply. We are happy to include others- send us your designs.

Previous: [Warnings](#) Next: [Why an HIS module for mSupply?](#)

From:
<https://docs.msupply.org.nz/> - mSupply documentation wiki

Permanent link:
https://docs.msupply.org.nz/dispensing:patient_medication_records?rev=1569064529

Last update: **2019/09/21 11:15**

