

## 4.02. Adding a new item

There are different types of item in mSupply but this is the function you use to add them all. The different types are:

- **Normal:** This is the one you will nearly always use and is something which you can receive, distribute and hold stock of.
- **Cross reference:** This type of item is a pointer to a normal item. Whenever you select a cross reference it will be replaced with the normal item that it points to. In this way, you can use cross reference items to represent brand names (e.g. Panadol) or familiar names (e.g. "Cetamol" is used to refer to "Paracetamol" in Nepal) that actually refer to generic items.
- **Service:** These are items which do not have physical stock such as consultancy fees or other charges.

To add any type of item choose **Item > New item** from the menus (Note: this is **not** for adding actual stock, just details of the items themselves - to add stock see [7.01. Supplier invoices](#) or [7.02. Goods receipts](#)).



Don't be put off by the number of fields appearing on these windows! mSupply will operate satisfactorily after entries have been made in just the **Item code** and **Item name** fields for any item type. All the other fields can be regarded as optional extras, some or all of which you may use at some later date, or never. mSupply is very versatile!

### Normal items

**Add item...**

Type

Item code

Item name

Universal code

Units

Category 1

Category 2

Category 3

Department

Default shelf location

Default pack size

Default weight

Price list ☐

Non stock item ☐

Default customer

Is a vaccine? ☐

Doses

Restricted to

VEN Category

☒ Not assigned

☐ Vital

☐ Essential

☐ Necessary

Stock category

☐ Normal stock

☐ Critical stock

☐ Essential drug

**Type:** Select the type of item you want to add here. The field always defaults to *normal*.

**Item code:** This field is mandatory and is a short way of referring to and finding the item throughout mSupply. Any non-printable characters entered before or after the code will be removed. Any entered in the code (including spaces) will be replaced with an underscore (\_).



As of v5 (or earlier) it should not be possible to create an item with the same code as another item.

**Item name:** This field is also mandatory and is the name that the item will be known by throughout mSupply. It will appear in reports and displays, wherever the item is referred to. Any non-printable characters entered before or after the name will be removed. Any entered in the name will be replaced with an underscore (\_).

These 3 fields are available to be filled in for every type of item.

You should decide on a clear scheme for item names and codes. This can be a tricky process but is worth persevering with. You can change your mind later but changing the codes of all the items and names in your datafile could be a time-consuming business.

We would recommend that the item code is systematic and can be worked out from the item's details e.g. first 3 letters of the item's name, 3 figures for the strength, a letter for the formulation then a letter or number for disambiguation if necessary. e.g. the code for Amoxycillin 500mg capsules could be amo500c.

For item names we would recommend again that you use generic names (no brands or familiar names - use cross reference items for those), be systematic and start with the broadest part of the name. For example, "Brody forceps" would be entered as "Forceps, brody", "Aqueous iodine" would be entered as "Iodine, aqueous". For pharmaceuticals we would recommend the name followed by the strength then the formulation e.g. Amoxycillin 500mg capsules.

You are, of course, free to choose your own schemes, these are just our recommendations and one way of doing it. There are many reasons for adopting other schemes and it is not necessary to know or remember item codes while using mSupply!

## General tab

**Units:** The drop down list allows you to choose the appropriate units for the new item ; mSupply comes with a limited list of pre-defined units, but it is recommended that users define their own list. You will find more information in section [4.20. Units](#).

**Category 1:** Click on the magnifying glass to select the category 1 this item belongs to. Category 1 is hierarchical and needs to be setup before you can select them here. See [Item categories](#) for details on setting them up.

**Category 2 and 3:** Select the category 2 and 3 that this item belongs to. You must setup these categories before you can select them here - see [Item categories](#) for details on doing that.

**Department:** Select the department the item belongs to. Departments are not a way of categorising items (use the other categories for that) but are for restricting access to items for different customers and are described in detail in section [4.12. Managing item access with Departments](#).

**Default shelf location:** This is the location in the store that the item is normally stored. It will be offered by default when the item is received into stock. Type as much of the location code or description (e.g. the first few characters) as you know, then press the *Tab* key. If only one location code matches your entry it will be filled in automatically, otherwise you will be shown a standard choice list like this:

Code	Description	Location type	Vol used	Vol Available
GS1	General store		0	0
CS2	Cold store 2		0	0
CS1	Cold store 1		0	0

Select the location you want by double-clicking its line or by clicking once on the line and then clicking **OK**.

**Default pack size:** This is the standard pack size that you use for comparing quotes from suppliers.

**Default weight:** The weight of the preferred pack size in kg.

**Price list:** If this box is checked, this item will be included when you produce price lists. If checked the item will also be included in the online catalogue. Refer [Price list](#).

**Non stock item:** If the item is something you do not normally keep in stock, but is passed straight to a customer, this box should be checked.

**Default customer:** This is the customer the item is sent to by default - used for non-stock items only. Type the first few characters of the customer's name and press the *Tab* key on the keyboard to select the customer you want.

**VEN category:** Select which WHO VEN category the item belongs to (one only) - used for reporting.

**Stock category:** Check each one of these that apply to your item (used for reporting):

- **Normal stock:** For practically all new entries this box should be checked; at a later date, should the item be removed from your formulary for instance, you would remove the check from this box.
- **Critical stock:** Should it be a requirement that you must never be out of stock of this item, this box should be checked.
- **Essential drug:** Check this box if the item is on your Essential Drugs List.

**Doses:** Enter the number of doses a single unit of this item provides. Used for vaccines and is only enterable if the **Is a vaccine** checkbox is checked.

**Is a vaccine:** Check this if this item is a vaccine and you want mSupply to include it in the vaccine functionality (see the [mobile vaccine dispensing](#) page for details). When checked, a default value of 1 is entered in the **Doses** field.

**Restricted to:** The location type that this item must be restricted to. You can from a list of all active Location types. When something is selected here, all stock of this item that is received must be put in a location which is of the same location type. For example, all cool store locations could have been given a type of “cool” and then if the item you are editing should be kept in a cool store, choose that type here, and you will only be able to receive that item into a cool store location.

When you have added all the details for your new item, click on the **OK** button or, if you want to add another new item, the **OK & Next button**.

If you have clicked **OK & Next** but don't want to add more items, press **Cancel**. Items previously added are still saved - just the details showing on the screen are not saved.

## Stores tab

On this tab, you select which stores the item will be visible in.

**Add item...**

Type:

Item code:

Item name:

General **Stores** Master lists Barcodes

Select the stores the item will be visible in All/None ☐

Store name	Visible in store
[Barcode]	<input type="checkbox"/>
[Barcode]	<input checked="" type="checkbox"/>
[Barcode]	<input type="checkbox"/>
[Barcode]	<input type="checkbox"/>
[Barcode]	<input type="checkbox"/>
[Barcode]	<input type="checkbox"/>
[Barcode]	<input type="checkbox"/>
[Barcode]	<input type="checkbox"/>
[Barcode]	<input type="checkbox"/>
[Barcode]	<input type="checkbox"/>

Cancel OK & Next OK

Simply check the *Visible in store* checkbox against each store in the list you wish the item to be visible in (if an item is visible in a store then it can be used in that store). You can use the *All/None* checkbox to toggle selection of all stores or no stores.



If the preference *Automatically update item visibility to match the master lists used by each store* preference (see [General preferences](#)) is turned on then the table in this tab will be replaced with some text telling you that visibility is controlled by master lists and not selecting store visibility directly. Use the *Master lists* tab (details below) in that case.

## Master lists tab

On this tab, you select which master lists the item should be added to.

The screenshot shows the 'Add item...' dialog box with the 'Master lists' tab selected. The dialog has a title bar with a close button (X) and a subtitle 'Add item...'. Below the title bar are fields for 'Type' (set to 'normal'), 'Item code', and 'Item name'. The 'Master lists' tab is active, showing a table with the following columns: 'Master list name' and 'Add to list'. The table contains several rows, each with a master list name and an 'Add to list' checkbox. The first row has a checkbox that is checked. Below the table is a 'Cancel' button, an 'OK & Next' button, and an 'OK' button.

Type: normal

Item code:

Item name:

General Stores Master lists Barcodes

Select the master lists to add the item to

All/None ☐

Master list name	Add to list
	<input checked="" type="checkbox"/>
	<input type="checkbox"/>
	<input type="checkbox"/>
	<input type="checkbox"/>
	<input type="checkbox"/>
	<input type="checkbox"/>
	<input type="checkbox"/>

Cancel OK & Next OK

Master lists can be used for many things in mSupply (e.g. controlling visibility of items in stores or determining which items appear on requisitions). See [Item master lists](#) for details of how to set them up and use them.

To add the new item to a master list simply check the *Add to list* checkbox against the particular master list in the table. Note that any master lists that have the *Automatically add new items to this master list* option checked will have their *Add to list* checkbox checked and you will not be able to

uncheck it.

## Barcodes tab


On this tab, you can add barcodes of the item that contain manufacturer and pack size information and therefore become useful for managing pharmaceuticals. See [Adding barcodes](#) for details on setting them up.

The screenshot shows the 'Add item...' dialog box with the 'Barcodes' tab selected. At the top, there is a 'Type' dropdown menu set to 'normal', followed by input fields for 'Item code' and 'Item name'. Below these are four tabs: 'General', 'Stores', 'Master lists', and 'Barcodes'. Under the 'Barcodes' tab, there are two buttons: 'Add' (with a plus icon) and 'Delete' (with a minus icon). Below the buttons is a table with five columns: 'Number', 'Barcode', 'Pack size', 'Parent', and 'Manufacturer'. The table has five empty rows. At the bottom of the dialog are three buttons: 'Cancel', 'OK & Next', and 'OK'.

Number	Barcode	Pack size	Parent	Manufacturer

## Cross reference items

To create a cross reference item select *cross reference* in the **Type** drop down list. The window changes slightly:



The screenshot shows a dialog box titled "Add item...". It contains the following fields and buttons:

- Type:** A dropdown menu set to "cross reference".
- Item code:** A text field containing "astra01".
- Item name:** A text field containing "Astrazeneca".
- Cross reference item:** A blue button.
- When this item is chosen in a list, use:** A text field containing "ChAdOx1-S (Recombinant) AstraZeneca vaccine".
- Referenced item code:** A text field containing "AZD01".
- Custom fields:** A section containing a field labeled "user\_field\_5" with the value "0".
- Buttons:** "Cancel", "OK & Next", and "OK" (highlighted in blue).

The **Item code** and **Item name** fields are the same as for a normal item (described [above](#)) but remember you're entering the details of the brand or familiar name in here!

## Cross reference item tab

**When this item is chosen in a list, use:** Type the first few characters of the normal item you always want to replace the brand/familiar name with in this field. Then press the *Tab* key on the keyboard and select the item you want.

That's it, all done. After clicking the **OK** or **OK & Next** buttons, every time a user chooses the item you entered in the **Item name** / **Item code** fields it will be replaced with the item you entered in the **When this item is chosen in a list, use** field.

## Stores tab


You select the stores the cross reference item will be visible in on this tab. It operates exactly the same as the Stores tab described [above](#) for normal items.

Note: cross reference items cannot be added to master lists so there is no Master lists tab. Their visibility cannot therefore be controlled by master lists but only by directly selecting the stores they are visible in on this stores tab.

## Service items

To create a service item select *service* in the **Type** drop down list. **PLEASE NOTE:** the service option will not be available in this drop down list if the preference to allow service items has not been set. Please see [General preferences](#) for details.

The window changes slightly:



The screenshot shows a dialog box titled "Add service item...". It contains the following fields and controls:

- Type:** A dropdown menu with "service" selected.
- Item code:** A text field containing "OxyRefl".
- Item name:** A text field containing "Oxygen cylinder refill, large".
- Service item / Stores:** Two tabs. The "Service item" tab is selected, showing:
  - Sell Price:** A text field containing "0.00".
  - Cost Price:** A text field containing "0.00".
- Buttons:** "Cancel", "OK & Next", and "OK" (highlighted with a blue border).

The **Item code** and **Item name** fields are the same as for a normal item (described [above](#)).

### Service item tab

**Cost price:** Enter the cost you buy this service (e.g. getting an oxygen cylinder refilled) for.

**Sell price:** Enter the price you charge when selling the service.

Neither of these fields is compulsory.

## Stores tab

You select the stores the service item will be visible in on this tab. It operates exactly the same as the Stores tab described [above](#) for normal items.

Note: service items cannot be added to master lists so there is no Master lists tab. Their visibility cannot therefore be controlled by master lists but only by directly selecting the stores they are visible in on this stores tab.

Previous: [4.01. About items](#) | | Next: [4.03. Item categories](#)

From:

<https://docs.msupply.org.nz/> - mSupply documentation wiki

Permanent link:

[https://docs.msupply.org.nz/items:adding\\_a\\_new\\_item?rev=1639628868](https://docs.msupply.org.nz/items:adding_a_new_item?rev=1639628868)

Last update: **2021/12/16 04:27**

