

Name

[Back to list of main tables](#)



A name is a customer, supplier, patient, manufacturer or donor, or maybe a combination of these.

Field name	Description	mSupply Use	Reference link	Type	Indexed
ID	The unique ID given to this name	Not used in UI		Alpha	*
		Related to asset.name_id, backorder.name_id, customer, backorder.name_id, supplier, contact.name_ID, Goods_received_line.manufacturer.ID, HIS_encountner.PATIENT_ID, item.line.name_ID, item.line.manufacturer.ID, item.store.join.non_stock.name.ID, list_group.name.ID, list_name.join.name.ID, name_budget.name.ID, name_note.name.ID, name_stock_history.name.ID, name_store.join.name.ID, patient_medication.name.ID, purchase_order.name.ID, purchase_order.line.non_stock.name.ID, quote.names.ID, quote_line.manufacturer.ID, quote_line.name.ID, regimen_record.name.ID, repeat_table.name.ID, store.name.ID, transact.name.ID, web_favourite.name.ID, tender.benchmarkSupplier.ID, [goods_received]donor_id, [item_line]donor_id, [purchase_order]donor_id, [trans_line]donor_id			
name	Name's name	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Name	https://docs.msupply.org.nz/names:adding_and_editing#adding_a_new_customer	Text	*
fax	Name's phone number	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Fax		Alpha	
phone	Name's phone number	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Phone		Alpha	
customer	True if this name is a customer	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Customer		Boolean	*
bill_address1	Billing address line 1	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Main/Billing Address 1		Alpha	
bill_address2	Billing address line 2	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Main/Billing Address 2		Alpha	
supplier	True if this name is a supplier	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Supplier	https://docs.msupply.org.nz/names:adding_and_editing#adding_a_new_supplier	Boolean	*
charge code	Code to charge a name's transactions to when exporting	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Charge to	https://docs.msupply.org.nz/names:adding_and_editing#charge_to	Alpha	*
margin	The margin applied to the cost price of this supplier's goods to calculate the sell price	New/Edit Name(supplier)»General Tab»Margin(Only shown if the name is supplier in Supplier details)	https://docs.msupply.org.nz/names:adding_and_editing#extra_information_for_suppliers_only	Real	
comment	Comment stored against this name	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Comment		Text	
currency_ID	Supplier only: ID of the currency this supplier uses			Alpha	
country	Billing address country	New/Edit Name(supplier/customer/manufacture/doner)»General tab»Country(Main/Billing)		Alpha	
freightfac	Multiplier to apply to quote lines to account for freight charges	New/Edit Name(supplier)»General Tab»Freight factor(Only shown if the name is supplier in Supplier details)	https://docs.msupply.org.nz/names:adding_and_editing#extra_information_for_suppliers_only	Real	
email	Name's email address. You can put multiple email addresses here separated by commas.	New/Edit Name(supplier/customer/manufacture/doner)»General tab»email(contact)		Alpha	
custom1	Custom field 1 contents - defined by user	New/Edit Name(supplier/customer/manufacture/doner)»General tab»Custom 1		Alpha	
code	This name's code	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Code	https://docs.msupply.org.nz/names:adding_and_editing#name_code	Alpha	*
last	Patients only: patient's last name	New/Edit Name(Patient)»General tab»Last		Alpha	*
first	Patients only: patient's first name	New/Edit Name(Patient)»General tab»First		Text	*
title	Patients only: patient's title (Mr, Ms etc.)			Text	
female	Patients only: True if female, False if male	New/Edit Name(Patient)»General tab»Female		Boolean	
date_of_birth	Patients only: patient's date of birth	New/Edit Name(Patient)»General tab»Date of Birth		Date	

Field name	Description	mSupply Use	Reference link	Type	Indexed
overpayment	Deprecated as of v4.11 and not used - calculated as needed Amount overpaid to a customer from a supplier			Real	
group_ID	ID of the department this name has been assigned to			Alpha	*
hold	If true, you can't issue or receive items to/from this name	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Hold (Status)	https://docs.msupply.org.nz/names:adding_and_editing#status_-_hold_checkbox	Boolean	
ship_address1	Shipping address line 1	New/Edit Name(supplier/customer/manufacture/doner)»General tab»Shipping Address 1		Alpha	
ship_address2	Shipping address line 2	New/Edit Name(supplier/customer/manufacture/doner)»General tab»Shipping Address 2		Alpha	
url	Web page of this name. Includes "http://"	New/Edit Name(supplier/customer/manufacture/doner)»General tab»web site		Alpha	
barcode	Set to the code field with an '*' at either end. Doesn't seem to be used for anything...			Text	
postal_address1	Postal address line 1	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Postal Address 5	https://docs.msupply.org.nz/names:adding_and_editing#postal_address	Alpha	
postal_address2	Postal address line 2	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Postal Address 5	https://docs.msupply.org.nz/names:adding_and_editing#postal_address	Alpha	
category1_ID	ID of the category1 level3 category this name has been assigned to	Is set by user in Preference Names tab New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Category 1	https://docs.msupply.org.nz/names:name_categories	Alpha	*
religion_ID	Patients only: ID of the patient's religion			Alpha	
type	"store" - a name associated with an mSupply virtual store "invad" - a reserved name used for inventory adjustment transactions "build" - a reserved name used for build transactions "repack" - a reserved name used for repack transactions "patient" - patients "facility" - a supplier or customer who is external to your mSupply virtual store system (see booleans name.customer and name.supplier for differentiation)	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Type	https://docs.msupply.org.nz/names:adding_and_editing#type	Text	*
price_category	The price category (A-F) this name is assigned to	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Price category	https://docs.msupply.org.nz/names:adding_and_editing#price_category	Alpha	
flag	Comma separated list of flags assigned to this name	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Flag		Alpha	
manufacturer	True if this name is a manufacturer	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Manufacturer		Boolean	
print_invoice_alphabetical	If true, invoice lines are printed in alphabetical order for this name			Boolean	
custom2	Custom field 2 contents - defined by user	Is set by user in Preference Names tab New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Custom 2		Alpha	
custom3	Custom field 3 contents - defined by user	Is set by user in Preference Names tab New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Custom 3		Alpha	
default_order_days	The default number of days that this customer orders for in a customer stock history			Integer	

Field name	Description	mSupply Use	Reference link	Type	Indexed
connection_type	The type of connection to the internet the name has: 1=low bandwidth, 2=high bandwidth			Integer	
PATIENT_PHOTO	Patients only: patient's photo	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Photo	https://docs.msupply.org.nz/names:adding_and_editing#photo_tab	Picture	
NEXT_OF_KIN_ID	Patients only: ID of the patient's next of kin (another patient)			Alpha	*
POBOX	Patients only: the patient's PO Box, part of their address			Alpha	
ZIP	Postal address postcode			Long Integer	
middle	Patients only: patient's middle name			Text	
preferred	If true this supplier is a preferred supplier when comparing bids in a tender			Boolean	
Blood_Group	Patients only: patient's blood group			Alpha	
marital_status	Patients only: patient's marital status			Alpha	
Benchmark	True if name is a benchmark supplier, against which others' prices are to be compared			Boolean	
next_of_kin_relative	Relation that is patient's next of kin e.g. 'Parent'			Alpha	
mother_id	Patients only: ID of the patient's mother (another patient)			Alpha	*
postal_address3	Postal address line 3	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Postal Address 3	https://docs.msupply.org.nz/names:adding_and_editing#postal_address	Alpha	
postal_address4	Postal address line 4	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Postal Address 4	https://docs.msupply.org.nz/names:adding_and_editing#postal_address	Alpha	
bill_address3	Billing address line 3	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Address 3(Main/Billing)		Alpha	
bill_address4	Billing address line 4	New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Address 4(Main/Billing)		Alpha	
ship_address3	Shipping address line 3	New/Edit Name(customer)»General Tab»Address 3(Shipping address)		Alpha	
ship_address4	Shipping address line 4	New/Edit Name(customer)»General Tab»Address 4(Shipping address)		Alpha	
ethnicity_ID	Patients only: ID of the patient's ethnicity			Alpha	*
occupation_ID	Patients only: ID of the patient's occupation			Alpha	*
religion_ID	Patients only: ID of the patient's religion			Alpha	*
national_health_number	Patients only: patient's national health number			Alpha	
Master_RTM_Supplier_Code	The code this supplier has in the RTM			Long Integer	*
ordering_method	The type of customer stock history this customer uses: im=imprest, sh=stock history			Alpha	
donor	True if the name is a donor	New/Edit Name(supplier/customer/manufacture/doner)»General tab»Doner (Category)	https://docs.msupply.org.nz/names:adding_and_editing#donor_checkbox	Boolean	*
latitude	The degrees latitude of the name's location		https://docs.msupply.org.nz/names:adding_and_editing#photo_tab	Real	
longitude	The degrees longitude of the name's location		https://docs.msupply.org.nz/names:adding_and_editing#photo_tab	Real	
Master_RTM_Supplier_name	The name of this supplier in the RTM			Alpha	

Field name	Description	mSupply Use	Reference link	Type	Indexed
category2_ID	ID of the category2 category the name is assigned to	Is set by user in Preference Names tab New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Category 2	https://docs.msupply.org.nz/names:name_categories	Alpha	*
category3_ID	ID of the category3 category the name is assigned to	Is set by user in Preference Names tab New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Category 3	https://docs.msupply.org.nz/names:name_categories	Alpha	*
category4_ID	ID of the category4 category the name is assigned to	Is set by user in Preference Names tab New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Category 4	https://docs.msupply.org.nz/names:name_categories	Alpha	*
category5_ID	ID of the category5 category the name is assigned to	Is set by user in Preference Names tab New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Category 5	https://docs.msupply.org.nz/names:name_categories	Alpha	*
category6_ID	ID of the category6 category the name is assigned to	Is set by user in Preference Names tab New/Edit Name(supplier/customer/manufacture/doner)»General Tab»Category 6	https://docs.msupply.org.nz/names:name_categories	Alpha	*
bill_address5	Billing address line 5	New/Edit Name(supplier/manufacture)»Main/Billing Address 5		Alpha	
bill_postal_zip_code	Billing address postcode			Alpha	
postal_address5	Postal address line 5	New/Edit Name(supplier/manufacture)»General tab»Postal Address 5	https://docs.msupply.org.nz/names:adding_and_editing#tags_tab	Alpha	
postal_zip_code	Postal address postcode			Alpha	
ship_address5	Shipping address line 5	New/Edit Name(supplier/manufacture)»General tab»Shipping Address 5	https://docs.msupply.org.nz/names:adding_and_editing#tags_tab	Alpha	
ship_postal_zip_code	Shipping address postcode	New/Edit Name(supplier/manufacture)»General tab»Shipping Address 5		Alpha	
supplying_store_id	Store that supplies customer	New/Edit Name(Customer)»General tab»Supplying Store(Customer details)	https://docs.msupply.org.nz/names:adding_and_editing#supplying_store	Alpha	
license_number				Alpha	
license_expiry				Date	
has_current_license				Boolean	
custom_data				Object	
maximum_credit	This is the maximum debt that a patient's account can have when the payments module is activated	New patient»General tab»Credit limit	https://docs.msupply.org.nz/dispensing:patients#general_tab	Real	
nationality_ID				Alpha	
created_date				Date	
integration_reference_ID				Alpha	
isDeceased				Boolean	
is_deleted	Is true if the name is soft delete	Not shown in UI		Boolean	
om_created_datetime				Alpha	
om_gender				Alpha	
HSH_name	HSH name used for Health Supply Hub to link suppliers or manufacturers with their record on the Health Supply Hub server and maintained by The mSupply Foundation	New/Edit Name(supplier/customer/manufacture/doner)»General tab»HSH name	https://docs.msupply.org.nz/names:adding_and_editing#hsh_code_hsh_name	Alpha	
HSH_code	HSH code used for Health Supply Hub to link suppliers or manufacturers with their record on the Health Supply Hub server and maintained by The mSupply Foundation	New/Edit Name(supplier/customer/manufacture/doner)»General tab»HSH code	https://docs.msupply.org.nz/names:adding_and_editing#hsh_code_hsh_name	Alpha	
HSH_ID	ID of the HSH code	Not use in UI		Alpha	
om_date_of_death				Date	
spare_alpha_1				Alpha	
spare_alpha_2				Alpha	

From:

<https://docs.msupply.org.nz/> - mSupply documentation wiki

Permanent link:

https://docs.msupply.org.nz/tables_fields:main_tables:name

Last update: 2026/01/20 10:41



