

# Location

[Back to the list of other tables](#)

| Field        | Description   | Type        |
|--------------|---|-------------|
| ID           | UUID of the record  | text        |
| colour       | colour of the record when displayed in lists  | text        |
| code         | a short code for the location   | alpha 60    |
| description  | Full description of the location  | text        |
| Comment      | For your use to record any info   | text        |
| hold         | if true, stock at this location can't be issued on customer invoices- can use for quarantine areas.   | boolean     |
| parent_ID    | UUID of the parent of this location (e.g the rack of a particular slot, or the aisle of a rack)   | text        |
| priority     | numeric value that can be used for sorting locations for picking  | longint     |
| store_ID     | UUID of the store that this location is for   | text        |
| summary_only | only to be used for reporting, not for assigning to stock (e.g. an aisle that has racks as children)  | text        |
| type_ID      | UUID of <b>Location_type</b> record that this record is related to. Location types can be used to restrict storage of items to certain location (types) | text        |
| volume       | volume available at this location in cubic metres (m3)  | real number |

From:

<https://docs.msupply.org.nz/> - mSupply documentation wiki

Permanent link:

[https://docs.msupply.org.nz/tables\\_fields:other\\_tables:location?rev=1578359101](https://docs.msupply.org.nz/tables_fields:other_tables:location?rev=1578359101)

Last update: **2020/01/07 01:05**

