20.01. Vaccine Vial Monitoring (VVM)

Configuration

There are a few configuration steps needed to use VVM (Vaccine Vial Monitoring) in your mSupply system.

Set up vaccine vial monitor (VVM) statuses

To configure VVM status options, you need to have permission in the system to edit vaccine vial monitoring statuses. See the 23.15. Managing users page for details on how to set user permissions. You need to turn on the *View and edit vaccine vial monitor status* permission on the *Permissions (3)* tab.

You can access the vaccine vial monitor (VVM) status configuration window by choosing *Item* > *Vaccines* > *Show vaccine vial monitor status...* from the menus. This will open the VVM status window:

) 😑 🕘 Vac	cine vial mo	onitor status l	ist
New Delete		🔾 Type h	ere to search
Description	Level	Code	Is active?
Double-click an item to	edit details		ОК

The window will show you a list of all the current vaccine vial monitor statuses that have been setup. To edit one, simply double-click on it in the list. This will open the same window as when adding a new status (see below) but populated with the status's current settings, ready for you to edit them.

Adding a VVM status

Click the **New** button. This window opens:

Vaccin	e vial monitor status
Description	
Code	
Level	0
Is active?	
	Cancel OK

- **Description:** the name of the status and how it will be referred to throughout mSupply.
- Code: a short code used to refer to the status.
- Level: the numerical level the status belongs to.
- Is active?: checked by default. If this is checked then the status will be available for selecting in mSupply mobile.

Click on the **OK** button to save your changes or the **Cancel** button to cancel them.

Deleting a VVM status

You can only delete a status that you have just created. Once this list of VVM statuses has been closed, you cannot delete the status any more. If there is one that you wish to delete but can't then edit it and uncheck its **Is active** checkbox (as described above). That will effectively delete it because it will no longer be selectable in any mSupply mobile functionality (but it will mean the status is still available for historical records).

If the status you want to delete is newly created:

- 1. Select the status you want to delete by clicking on it in the list
- 2. Click on the **Delete** button
- 3. The window below will appear asking you to confirm the deletion. Click **Yes** to confirm.



Tell mSupply which items are vaccines

Tell mSupply which items are vaccines by checking the **Is a vaccine** checkbox and entering the

number of doses per vial in the **Doses** field on the *General* tab of the item's details window. See the 4.01.01. Items - General tab page for details.

Turn on preferences

Finally, you need to turn on some preferences so that VVM status is exposed in the mSupply interface:

- The *Able to specify VVM status when receiving items* store preference to be able to enter the VVM status for a vaccine when it is received. See the 26.07. Virtual stores page for details.
- The Sort available batches by VVM status rather than Expiry store preference if you want the VVM status of the stock to be included when deciding what order to offer stock for selection. See the 26.07. Virtual stores page for details.

Using VVM status

Enter the VVM status of vaccines when they are received

When the *Able to specify VVM status when receiving items* store preference is turned (see above) on you can enter the VVM status of vaccines when they are received into a store on a supplier invoice. See the 7.01. Supplier invoices page for details.

Update the VVM status of vaccines when you check them

When you check the status of the VVM labels for a batch, you can enter the details of the current VVM status into the stock line details window.

You can get to this window two ways:

- 1. On the *Item* tab of the Navigator, click on the *Stock* icon then double-click on the line of stock you are interested in.
- 2. Search for items, double click on an item to open its details window, click on the *Stock* tab to show the item's current stock and then double-clikc on the stock line you are interested in.

Whichever way you choose, this window will open:

Item code bcgvac10 Item name BCG Vaccine General Ledger Status Reference documents Quantity according to stock Total Quantity 2000 Available 2000 Cost price 2.3 Hold Volume per pack 0 m3 Sell price 2.3 Location None Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 Donor None Change donor Note Custom stock fields	Item name BCC Vaccine Ceneral Ledger Status Reference documents Log Quantity according to stock Total Quantity 2000 Cost price 2.3 Hold Volume per pack 0 m3 Sell price 2.3 Location None 1 Initial quantity 0 Supplie ACME Pharma Inners per Outer Note Custom stock fields			
General Ledger Status Reference documents Log Quantity according to stock Available 2000 Total Quantity 2000 Available 2000 Cost price 2.3 Hold Volume per pack 0 m3 Sell price 2.3 Location None Weight per pack 0 kg Expiry date 31/08/2026 Pack size 10 Vial Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 Initial quantity 0 Donor None Change donor	General Ledger Status Reference documents Log Quantity according to stock Total Quantity 2000 Available 2000 Cost price 2.3 Hold Volume per pack 0 m3 Sell price 2.3 Location None Weight per pack 0 kg Expiry date 31/08/2026 Pack size 10 Vial Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 Donor None Change donor Kote	BCG Vaccine		
Quantity according to stock Total Quantity 2000 Available 2000 Cost price 2.3 Hold Volume per pack 0 m3 Sell price 2.3 Location None Weight per pack 0 kg Expiry date 31/08/2026 Pack size 10 Vial Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 Donor None Change donor	Quantity according to stock Total Quantity 2000 Available 2000 Cost price Q.3 Hold Volume per pack 0 m3 Sell price Q.3 Location None Volume per pack 0 m3 Expiry date 31/08/2026 Pack size 10 Vial Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 Donor Note Custom stock fields	neral Ledger Status	Reference documents	Log
Total Quantity 2000 Available 2000 Cost price 2.3 Hold Volume per pack 0 m3 Sell price 2.3 Location None Weight per pack 0 kg Expiry date 31/08/2026 Pack size 10 Vial Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 Donor None Change donor	Total Quantity 2000 Available 2000 Cost price 2.3 Hold Volume per pack 0 m3 Sell price 2.3 Location None Weight per pack 0 kg Expiry date 31/08/2026 Pack size 10 Vial Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 Donor None Change donor			
Cost price 2.3 Hold Volume per pack 0 m3 Sell price 2.3 Location None Weight per pack 0 kg Expiry date 31/08/2026 Pack size 10 Vial Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 Initial quantity 0 Donor None Change donor	Cost price 2.3 Hold Volume per pack 0 m3 Sell price 2.3 Location None Weight per pack 0 kg Expiry date 31/08/2026 Pack size 10 Vial Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 1 Donor None Change donor			Available 2000
Sell price 2.3 Location None Weight per pack 0 kg Expiry date 31/08/2026 Pack size 10 Vial Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 Initial quantity 0 Donor None Change donor Custom stock fields Custom stock fields Custom stock fields	Sell price 2.3 Location None Weight per pack 0 kg Expiry date 31/08/2026 Pack size 10 Vial Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 Initial quantity 0 Donor None Change donor Change donor Initial quantity 0 Custom stock fields Initial quantity Initial quantity Initial quantity Initial quantity	Hold		Volume ner nack 0 m
Data price Location None Using Expiry date 31/08/2026 Pack size 10 Vial Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 1 Donor None Change donor Note	Supplier Supplier Supplier Supplier None Change donor Note Change donor Custom stock fields	Lacation	Nana	Weight per pack
Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 Donor None Change donor Note Custom stock fields	Batch ABCD1234 Quan per inner 1 Initial quantity 0 Supplier ACME Pharma Inners per Outer 1 Donor None Change donor Note	Pack size	10 Vial	weight per pack 0 kg
Donor None Change donor Note	Datch Note Change donor Custom stock fields	Outon per inner	10 1.	
Donor None Change donor Change donor Change donor Change donor	Donor None Change donor Change donor Change donor Custom stock fields	Inners per Outer	1	Initial quantity 0
Donor None Change donor Note Custom stock fields	Donor None Change donor Note Custom stock fields			
Note Custom stock fields	Note Custom stock fields	Chang	e donor	
Custom stock fields	Custom stock fields			
Custom stock fields	Custom stock fields			
			e BCG Vaccine heral Ledger Status Hold Location Pack size Quan per inner Inners per Outer Chang	He BCG Vaccine Heral Ledger Status Reference documents Hold Location None Pack size 10 Vial Quan per inner 1 Inners per Outer 1 Change donor

Click on the Status tab:

		General Ledger Status	Reference documents Log	
+ New				
Date	Time	VVM status	Entered by	Comment
12/05/2023	10:30:29	Stage 1	user 1 (pass= user1)	Invoice number: 12

The table shows you the history of VVM status measurements for this stock line.

2025/06/28 03:05

To add a new entry, click on the **New** button and this window will open:

5/5

/VM status log	
Date:	12/05/2023
Time:	11:27:02
VVM status	Please select
Entered by:	user 1 (pass= user1)
Comment	
	Cancel OK

- Date: The date of the entry. This is set to the current date and is read only you can only enter logs on the current day.
- Time: The time of the log entry. Edit as required in 24 hour format.
- VVM status: Select one of the active VVM statuses you have setup.
- Entered by: The name of the user making the entry. Read only, set to the currently logged in user.
- Comment: Enter anything that you want to remember about this reading (who took it, how it was done, anything unusual etc.).

Click on the **OK** button to save the entry and it will be displayed in the table. If the VVM status of the stock line has changed then its current VVM status will be automatically updated to match what has been entered.

Previous: 20. Cold Chain Equipment | | Next: 20.03. Cold Chain App Notifications

From: https://docs.msupply.org.nz/ - mSupply documentation wiki

Permanent link: https://docs.msupply.org.nz/cold chain equipment:configure?rev=168388959



Last update: 2023/05/12 11:06