

10.07. Diagnoses

The **Diagnoses** functionality allows you to quickly save a diagnosis on a patient's prescription.

Viewing and Adding Diagnoses

Select the **Diagnoses** icon from the **Special** tab on the mSupply navigator window.




This will open the **Show diagnoses** window with a list of all diagnoses.

- The list will initially be ordered by date created. However, the list can be sorted by the ICD code or ICD description by clicking on the respective column header.
- You can use the search box to search for a diagnoses using either an ICD code or the ICD description.




Standard mSupply search functionality applies when searching for diagnoses.



The list can be filtered using the **Show** drop-down box on the top right of the window:

- **All**: active and inactive diagnoses.
- **Active**: diagnoses that have not yet reached their specified valid till date.
- **Inactive**: diagnoses that have passed their specified valid till date. Inactive diagnoses will not appear in other windows, and cannot be saved to a patient prescription.

Click on the **New diagnosis** button on the top-left of the window to add a new diagnosis. This window will open:



The image shows a 'New diagnosis' dialog box with the following fields and controls:

- ICD code:** A text input field.
- Description:** A large text area.
- Valid till:** A date input field showing '00/00/00' with a calendar icon to its right.
- Notes:** A large text area.
- Buttons:** 'OK & Next', 'Cancel', and 'OK' (highlighted in blue).

Enter the **ICD Code** and **Description**. Please note:

- Both code and description boxes are mandatory.
- mSupply does not check the data entry in these boxes. Please double-check that you have entered the information correctly.


Enter the **Valid till** date. You can use the date selection tool by clicking on the calendar to the right of the box.

- The date entered determines how long the diagnosis will remain active. After this date the diagnosis will be automatically made inactive.
- The valid till field is non-mandatory. Leaving this field blank results in the code remaining permanently active.

Diagnoses on Prescriptions

You must first enable store preferences to allow diagnosis selection on prescriptions.

From the **Special** tab or menu item, select **Stores**, and then select the store that you wish to allow diagnosis selection. Select the **Preferences** tab on the Edit Store window.



Select **Allow users to choose diagnoses on prescription**.

Save by selecting **OK**.

As a result, when you create a new prescription, you will be able to select a diagnoses using a drop-down box. The drop-down box will display and allow selection of any active diagnoses.

The diagnosis selected will be saved against the prescription together with all other information provided in the Prescription Entry window.

Previous: [10.06. Abbreviations for dispensing](#) | Next: [10.08. Label printing preferences](#)

From: <https://docs.msupply.org.nz/> - mSupply documentation wiki

Permanent link: <https://docs.msupply.org.nz/dispensing:diagnoses?rev=1619428072>

Last update: 2021/04/26 09:07

