


# 17.03. Importing names


In mSupply, *Names* are customers, suppliers, manufacturers, patients, donors and benchmark suppliers.

## Introduction



- Importing a large number of names can really bog down the server. How much depends on the server hardware, but a realistic expectation is an hour per 10,000 names.
- We recommend that you do it when other users are not trying to do anything with mSupply!

The **File > Import > Import customers & suppliers...** menu item allows you to import all name types into an mSupply data file. You can import any name type in any store.



If you are in a [multi store system](#), do the names need to be visible in all stores? If not, consider setting the *Names created in other stores not visible in this store* or *Patients created in other stores not visible in this store* preferences in other stores. See the [Store preferences](#) section for details.

## Setting up the import file

A Tab-delimited file (see notes below) must be set up to import the data. The required field order is:

| Column | Field   |
|--------|---|
| A      | Code. <b>Mandatory</b>                              |
| B      | Name. <b>Mandatory</b>                              |
| C      | Type - see below for more details. <b>Mandatory</b> |
| D      | Address 1   |
| E      | Address 2   |
| F      | Country   |
| G      | Email   |
| H      | Phone   |

| Column | Field   |
|--------|---|
| I      | Category 1. This category is hierarchical and has 3 levels. You can enter different levels separated by :: (for example "State1::District2::Area1" or "District1::Area3") or just the lowest level with no separator (for example "Area2"). mSupply will look for an existing category with the levels you define, if it doesn't find one then it will create them and assign the category to the name. If you enter only the lowest level category (for example "Area1"), mSupply will look for any lowest level category "Area1" with any or no parent. If it finds one, it will assign the first one it finds to the name being imported, otherwise it will create it with no parent and assign it to the name |
| J      | Customer group. If the group name does not exist, it will be created by mSupply on the fly.   |
| K      | Last name. This column is the difference between a customer and a patient: A customer will have a blank last name, a patient <b>must</b> have a non-blank last name   |
| L      | First name (applies only to people)   |
| M      | Date of birth (please use 4-digit year)   |
| N      | Gender (enter "F" or "True" for females. All other values taken as male)  |
| O      | Custom 1  |
| P      | Custom 2  |
| Q      | Custom 3  |
| R      | Category 2  |
| S      | Category 3  |
| T      | Address 3   |
| U      | Address 4   |
| V      | Address 5   |
| W      | Postcode (Zip code)   |
| X      | On hold ("T" or "Y" for true, anything else, including blank, for false)  |

Column C describes the type of the name being imported. That is, whether it is a customer, supplier, manufacturer, donor or patient. A name could be any one of these or several of them. To indicate which of these the name is, simply include the letter shown in the table below in the type field (letter order is not important):

| Value   | Meaning   |
|---------|---|
| C       | Customer or Patient. To be recognised as a patient, the line in the import file must have a non-blank last name |
| P       | Patient   |
| S       | Supplier  |
| M       | Manufacturer  |
| D       | Donor   |
| B       | Benchmark supplier (for use in tenders)   |
| (blank) | Both a customer and a supplier  |

So, for example, a name which is a donor and supplier would have DS or SD in the type field.

[You might find this template useful:](#)

[name\\_import\\_template.xlsx](#)

or this export settings file: [names\\_export\\_order.4si.zip](#)

The first 3 fields (**Code**, **Name** and **Type**) are mandatory for each name imported. If a row in the


import file does not have values for these 3 fields then it will be skipped and ignored during the import process.



- The customer or supplier category1, 2 and 3 fields will be created if they don't already exist. If the name is a customer and a supplier, a customer category will be created.
- You must always include every column in every import file. For all names except patients, the first 3 columns are mandatory. You can leave the other columns blank and mSupply will only import the information you have provided. See below for more on importing patients.
- When you import the file you can choose whether or not to:
  - Ignore the first line. You will want to do if you have used the first row for column headings
  - Strip out line feeds and quote characters. You will want to do if you've used Excel to save the text file.
- If there are non-printable characters before or after the name, code, last name or first name they will be removed. Any non-printable characters in the name, code, last name or first name will be replaced with an underscore (\_).



- Save the template as tab-delimited text (rows end with a carriage return, line feed and columns are separated with a tab character) before importing into mSupply.
- MS Excel tends to add extra characters (line feeds and quotes), but mSupply will gracefully remove these without complaining providing you select that option - see info box above.
- Avoid having the Code field containing a space character as this can cause problems during import
- If the file you are importing has non-English characters (for example, accents), it is important to make sure the file is saved with a UTF-8 charset. You can check this by opening the file in Notepad (for Windows). When you save the file, you can choose the Charset used, as shown in image below.






Now, in the *If duplicate codes are selected* section, select what you want to happen if a name code is found in the import file which is already used by a name in mSupply.

You can use the **Previous** and **Next** buttons to go through the import file one line at a time to see what mSupply can see in each field and therefore what it will try to import. Can be useful for checking whether extra quote characters have been added to any fields or if the first line of the text file contains column header information only.

### Importing patients

If you are importing patient names, leave column B (the full name) blank and make entries in the Last name (col K) and First name (col L) columns. Below is an example of a spreadsheet for importing patients, customers and suppliers which demonstrates how to fill in the fields with respect to each import type.



Column K is what defines the difference between a customer and a patient: A customer will have a blank last name, a patient **must** have a non-blank last name. A customer can have a blank first name.

For Suppliers and Customers, columns A to H should be completed..§

If 'Type' column is left blank, this represents both customer & supplier.§


| 1 | A      | B                   | C    | D                  | E         | F       | G                   | H         |
|---|--------|---------------------|------|--------------------|-----------|---------|---------------------|-----------|
|   | Code   | Name                | Type | Adline1            | Adline2   | Country | E-mail              | Tel       |
| 2 | sup07  | Globapharm          | S    | 118 Princes Street | Edinburgh | UK      | globapharm@mail.com | " +44131- |
| 3 | hos312 | Forth Park Hospital | C    | 52 Laurel Grove    | Berwick   | UK      | forpk@hosp.org      | " +441458 |
| 4 | m115   |                     | C    | 18 Parkway         | Carlisle  | UK      |                     |           |
| 5 | f202   |                     | C    | 117 Shore Road     | Duns      | UK      |                     |           |
| 6 |        |                     |      |                    |           |         |                     |           |

|    | H              | I        | J     | K         | L          | M        | N   | O    |
|----|----------------|----------|-------|-----------|------------|----------|-----|------|
|    | Telno.         | Category | Group | Last name | First name | DOB      | M/F | Anal |
| om | +44131-4476022 |          |       |           |            |          |     |      |
|    | +44145833901   |          |       |           |            |          |     |      |
|    |                |          |       | Fraser    | Bruce      | 11/04/62 | M   |      |
|    |                |          |       | Henderson | Anne       | 07/12/77 | F   |      |

To import Patients, column B [Names] needs to be left blank but columns K, L, M & N must be completed§

If you have a lot of patients there will be a short delay once you have chosen the import file while mSupply counts how many records there are to import, then a progress window will be shown displaying the rate of progress:



Previous: [17.02. Importing stock](#) | | Next: [17.04. Importing prescribers](#)

From:  
<https://docs.msupply.org.nz/> - **mSupply documentation wiki**

Permanent link:  
[https://docs.msupply.org.nz/import\\_and\\_export:importing\\_names?rev=1643397570](https://docs.msupply.org.nz/import_and_export:importing_names?rev=1643397570)

Last update: **2022/01/28 19:19**

